

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.

---

---

---

**Rx #** **Date:**

**Patient Name:**  
**Ciprofloxacin Hydrochloride 500mg tablet - Quantity:**  
Take 1 tablet by mouth twice a day until all of the medicine is gone.  
**Prescriber:** **Lot #**  
Take with or without food, but not with milk alone. Drink lots of fluids. Avoid long times in sunlight while on this medicine. Avoid antacids with magnesium or aluminum.